

Link do produktu: <https://dabe.pl/kvm-21-cs-1772c-usb-20-hub-switch-ethernet-p-575.html>



KVM 2/1 CS-1772C USB 2.0 HUB + Switch Ethernet

Cena brutto	565,80 zł
Cena netto	460,00 zł
Dostępność	Dostępny
Numer katalogowy	CS-1772C
Producent	ATEN

Opis produktu




Cechy:

- Obsługa 2 komputerów przy pomocy jednej konsoli (klawiatura USB+mysz USB+monitor)
- Zintegrowany switch 4-portowy 10/100
- Wybór komputera na frontowym panelu przełącznika lub przez kombinację klawiszy klawiatury

- Niezależne przełączanie KVM i portów USB
- Obsługa portów audio
- W pełni kompatybilny z USB 2.0
- Niezależne przełączanie komputerów, portów audio i USB
- Rozdzielczość 2048 x 1536 DDC8
- Obsługuje systemy Windows 98, ME, 2k, XP, Vista oraz Mac OS
- Dodatkowe wolne dwa porty USB 2.0 do wykorzystania
- **W komplecie 2 kable 1,8m [2L-5302UU](#) do podłączenia dwóch komputerów USB**
- **Istnieje możliwość zakupienia kabla [2L-5305UU](#) o długości 5m**

[Obejrzyj produkt w animacji 3D](#)



Specyfikacja:

Computer Connections			2
Port Selection			Hotkeys, Pushbutton
USB Port/ Audio Port Selection			Hotkey
Connectors	Console Ports	Keyboard	1 x USB Type A Female (White)
		Video	1 x HDB-15 Female (Blue)
		Mouse	1 x USB Type A Female (White)
		Speaker	1 x Mini Stereo Jack Female (Green)
		Microphone	1 x Mini Stereo Jack Female (Pink)
	KVM Ports	Keyboard	2 x SPHD-15 Female (Green)
		Video	
		Mouse	
		Speaker	2 x Mini Stereo Jack Female (Green)
		Microphone	2 x Mini Stereo Jack Female (Pink)
	Ethernet Hub		3 x RJ-45 Female (Black)
	USB Hub		2 x USB Type A Female (White)
	F/W Upgrade		1 x RJ-11 Female (Black)
	Power		1 x DC Jack(Black)
Switches	Port		2 x Pushbutton
LEDs	On Line / Selected		2 (Orange)
	USB Link		2 (Green)
	10/100 Mbps		3 (Green)
	LINK(Ethernet)		3 (Green)
Emulation	Keyboard/Mouse		USB
Video			2048 x 1536; DDC2B
Scan Interval			1~99 seconds
Power Consumption			DC 5.3V, 4.5W
Environment	Operating Temp.		0°~50°C
	Storage Temp.		-20°~60°C
	Humidity		0~80% RH, Non-condensing
Physical Properties	Housing		Metal
	Weight		0.71 kg
	Dimensions (L x W x H)		21.00 x 8.50 x 5.50 cm
Computer Connections			2
Port Selection			Hotkeys, Pushbutton
USB Port/ Audio Port Selection			Hotkey
Connectors	Console Ports	Keyboard	1 x USB Type A Female (White)
		Video	1 x HDB-15 Female (Blue)

	Mouse	1 x USB Type A Female (White)
	Speaker	1 x Mini Stereo Jack Female (Green)
	Microphone	1 x Mini Stereo Jack Female (Pink)
KVM Ports	Keyboard	2 x SPHD-15 Female (Green)
	Video	
	Mouse	
	Speaker	2 x Mini Stereo Jack Female (Green)
	Microphone	2 x Mini Stereo Jack Female (Pink)
	Ethernet Hub	3 x RJ-45 Female (Black)
	USB Hub	2 x USB Type A Female (White)
	F/W Upgrade	1 x RJ-11 Female (Black)
	Power	1 x DC Jack(Black)
Switches	Port	2 x Pushbutton
LEDs	On Line / Selected	2 (Orange)
	USB Link	2 (Green)
	10/100 Mbps	3 (Green)
	LINK(Ethernet)	3 (Green)
Emulation	Keyboard/Mouse	USB
Video		2048 x 1536; DDC2B
Scan Interval		1~99 seconds
Power Consumption		DC 5.3V, 4.5W
Environment	Operating Temp.	0°~50°C
	Storage Temp.	-20°~60°C
	Humidity	0~80% RH, Non-condensing
Physical Properties	Housing	Metal
	Weight	0.71 kg
	Dimensions (L x W x H)	21.00 x 8.50 x 5.50 cm